# **Complete Summary**

#### **GUIDELINE TITLE**

Helping families raise children with special health care needs at home.

# BIBLIOGRAPHIC SOURCE(S)

Johnson CP, Kastner TA. Helping families raise children with special health care needs at home. Pediatrics 2005 Feb; 115(2): 507-11. [16 references] PubMed

#### **GUIDELINE STATUS**

This is the current release of the guideline.

American Academy of Pediatrics (AAP) Policies are reviewed every 3 years by the authoring body, at which time a recommendation is made that the policy be retired, revised, or reaffirmed without change. Until the Board of Directors approves a revision or reaffirmation, or retires a statement, the current policy remains in effect.

#### COMPLETE SUMMARY CONTENT

**SCOPE** 

METHODOLOGY - including Rating Scheme and Cost Analysis

RECOMMENDATIONS

EVIDENCE SUPPORTING THE RECOMMENDATIONS

BENEFITS/HARMS OF IMPLEMENTING THE GUIDELINE RECOMMENDATIONS

QUALIFYING STATEMENTS

IMPLEMENTATION OF THE GUIDELINE INSTITUTE OF MEDICINE (IOM) NATIONAL HEALTHCARE QUALITY REPORT

CATEGORIES

IDENTIFYING INFORMATION AND AVAILABILITY

**DISCLAIMER** 

## **SCOPE**

## DISEASE/CONDITION(S)

All pediatric illnesses and disabilities that result in special health care needs

#### **GUIDELINE CATEGORY**

Management

CLINICAL SPECIALTY

Family Practice Pediatrics

#### INTENDED USERS

Physicians

## GUIDELINE OBJECTIVE(S)

To educate physicians on the philosophy of providing a permanent family environment (permanency planning) for all children, including those with special health care needs, and the importance of adequate and accessible community services to support and maintain the well-being of all family members

#### TARGET POPULATION

Children, including infants, children, adolescents, and young adults up to 21 years of age

#### INTERVENTIONS AND PRACTICES CONSIDERED

- 1. Permanency planning (permanent family environment for children with special needs)
- 2. Family support services including child care, respite, transportation, home modifications, durable medical equipment, behavior-management training, crisis intervention, faith-based services, assistance with transition to adult group homes
- 3. Additional parenting models
- 4. Out-of-home placement
- 5. Congregate care
- 6. Education and training of care providers
- 7. Physician advocacy

#### MAJOR OUTCOMES CONSIDERED

- Family function over time (e.g., degree of family stress)
- Prevention out of home placement

#### METHODOLOGY

#### METHODS USED TO COLLECT/SELECT EVIDENCE

Hand-searches of Published Literature (Primary Sources)
Hand-searches of Published Literature (Secondary Sources)
Searches of Electronic Databases
Searches of Patient Registry Data
Searches of Unpublished Data

DESCRIPTION OF METHODS USED TO COLLECT/SELECT THE EVIDENCE

Not s	tated
-------	-------

## NUMBER OF SOURCE DOCUMENTS

Not stated

METHODS USED TO ASSESS THE QUALITY AND STRENGTH OF THE EVIDENCE

Not stated

RATING SCHEME FOR THE STRENGTH OF THE EVIDENCE

Not applicable

METHODS USED TO ANALYZE THE EVIDENCE

Review

DESCRIPTION OF THE METHODS USED TO ANALYZE THE EVIDENCE

Not stated

METHODS USED TO FORMULATE THE RECOMMENDATIONS

**Expert Consensus** 

DESCRIPTION OF METHODS USED TO FORMULATE THE RECOMMENDATIONS

Not stated

RATING SCHEME FOR THE STRENGTH OF THE RECOMMENDATIONS

Not applicable

**COST ANALYSIS** 

A formal cost analysis was not performed and published cost analyses were not reviewed.

METHOD OF GUIDELINE VALIDATION

Not stated

DESCRIPTION OF METHOD OF GUIDELINE VALIDATION

Not applicable

## **RECOMMENDATIONS**

#### MAJOR RECOMMENDATIONS

#### Summary

To support and achieve Healthy People 2010 objective 6-7 (reduce the number of people with disabilities in congregate care facilities, consistent with permanency-planning principles, to 0 by 2010), pediatricians should work closely with biological families to identify local resources that can assist them in caring for their child with special health care needs to prevent out-of-home placement. If, however, the family considers out-of-home placement, the pediatrician should be knowledgeable of and be able to recommend other alternatives and supports and convey this information to the family to reinforce the principles of permanency planning and achieve and sustain an optimal nurturing environment for the child.

#### Considerations for Pediatricians

- 1. The goal of the medical home is consistent with Healthy People 2010 objectives and includes the provision of community-based, culturally effective, coordinated, and comprehensive care for children with special health care needs and their families.
- The ongoing assessment of children with special health care needs ideally is family-centered, focusing on the child's quality-of-life goals as envisioned by the family. Ultimately, assessments will focus on the child as he or she matures into adolescence and adulthood and prepares for transition to adult living settings.
- 3. Throughout the ongoing care of the child, the pediatrician is encouraged to support the tenets of permanency planning. Permanency planning is the philosophy and practice of securing for children with special health care needs permanent family placement and ongoing relationships with caring adults. Permanency planning emphasizes the use of supports necessary to enable a child to be raised in a home, focuses on promoting a sense of belonging, and is evaluated according to the ability of the setting to promote ongoing secure relationships.
- 4. The pediatrician is encouraged to address the child's need for and the availability of an appropriate education, including later transition services. If the child is not being served appropriately by the local school system, physician advocacy may be necessary to both obtain the needed services and decrease the burden on parents in their own efforts to secure them.
- 5. The pediatrician is encouraged to address the parents' need for and ability to access and obtain family-support services, including faith-based services. If parents are in need of family-support services but have not been successful in accessing them, the pediatrician may advocate on behalf of the family through referral to social service agencies, which are usually housed in state agencies (i.e., state departments of health, human services, mental retardation and/or disability, or education).
- 6. Pediatricians are encouraged to advocate for the most reasonable and appropriate supports and services. The measure of what is reasonable and appropriate should always be in the best interest of the child. If, after careful consideration, the family determines that congregate care is the only available option, it should be considered a temporary placement followed by

- reunification or an in-home alternative-care option whenever possible. Pediatricians also are encouraged to help adolescents prepare for transition to adulthood and advocate for self-determination as some adults may choose to pool resources and share attendant care in group home settings.
- 7. Pediatricians, especially those in states that have not yet accessed waiver services through the Tax Equity and Fiscal Responsibility Act (Katie Beckett Act), can be effective advocates for increased funding for family supports by working collaboratively with legislators to access and match federal resources. The public policy link on the Family Voices Web site (<a href="http://www.familyvoices.org/policy.htm">http://www.familyvoices.org/policy.htm</a>) is helpful in providing the clinician with information about important proposals to Congress that relate to permanency planning and family supports.
- 8. Pediatricians can be helpful in identifying possible alternative families. Good prospects are families already caring for a child with special health care needs, foster parents of typically developing children, and parents who work in the health care fields. Pediatricians can also be helpful in educating and training care providers.

CLINICAL ALGORITHM(S)

None provided

## EVIDENCE SUPPORTING THE RECOMMENDATIONS

#### TYPE OF EVI DENCE SUPPORTING THE RECOMMENDATIONS

The type of supporting evidence is not specifically stated for each recommendation.

## BENEFITS/HARMS OF IMPLEMENTING THE GUIDELINE RECOMMENDATIONS

#### POTENTIAL BENEFITS

Provision of comprehensive and effective special health care requirements for children and the families caring for them

POTENTIAL HARMS

Not stated

#### QUALIFYING STATEMENTS

#### **QUALLEYING STATEMENTS**

The guidance in this report does not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

## IMPLEMENTATION OF THE GUIDELINE

## DESCRIPTION OF IMPLEMENTATION STRATEGY

An implementation strategy was not provided.

# INSTITUTE OF MEDICINE (IOM) NATIONAL HEALTHCARE QUALITY REPORT CATEGORIES

**IOM CARE NEED** 

Living with Illness

IOM DOMAIN

Effectiveness Patient-centeredness

# IDENTIFYING INFORMATION AND AVAILABILITY

#### BIBLIOGRAPHIC SOURCE(S)

Johnson CP, Kastner TA. Helping families raise children with special health care needs at home. Pediatrics 2005 Feb; 115(2): 507-11. [16 references] PubMed

**ADAPTATION** 

Not applicable: The guideline was not adapted from another source.

DATE RELEASED

2005 Feb

GUIDELINE DEVELOPER(S)

American Academy of Pediatrics - Medical Specialty Society

SOURCE(S) OF FUNDING

American Academy of Pediatrics

**GUI DELI NE COMMITTEE** 

Committee on Children With Disabilities

COMPOSITION OF GROUP THAT AUTHORED THE GUIDELINE

Primary Authors: Chris Plauché Johnson; Theodore A. Kastner

Committee on Children With Disabilities, 2004-2005: Paul H. Lipkin, MD, Chairperson; Joshua Alexander, MD; J. Daniel Cartwright, MD; Larry W. Desch, MD; John C. Duby, MD; Diane R. Edwards, MD; Ellen Roy Elias, MD; Chris Plauche´ Johnson, MD, MEd; Lawrence C. Kaplan, MD; Eric B. Levey, MD; Nancy A. Murphy, MD; Scott M. Myers, MD; Ann Henderson Tilton, MD; Adrian D. Sandler, MD, Immediate Past Chairperson; W. Carl Cooley, MD, Past Committee Member; Theodore A. Kastner, MD, MS, Past Committee Member; Marian E. Kummer, MD, Past Committee Member

Liaisons: Beverly Crider, Family Voices; Merle McPherson, MD, MPH, Maternal and Child Health Bureau; Donald Lollar, EdD, Centers for Disease Control and Prevention; Marshalyn Yeargin-Allsopp, MD, Centers for Disease Control and Prevention

Consultants: Colleen Horton, MPAff; Nancy Rosenau, PhD; Lesa R. Walker, MD, MPH

Staff: Stephanie Mucha, MPH

FINANCIAL DISCLOSURES/CONFLICTS OF INTEREST

Not stated

#### **GUI DELI NE STATUS**

This is the current release of the guideline.

American Academy of Pediatrics (AAP) Policies are reviewed every 3 years by the authoring body, at which time a recommendation is made that the policy be retired, revised, or reaffirmed without change. Until the Board of Directors approves a revision or reaffirmation, or retires a statement, the current policy remains in effect.

#### **GUIDELINE AVAILABILITY**

Electronic copies: Available from the <u>American Academy of Pediatrics (AAP) Policy Web site</u>.

Print copies: Available from American Academy of Pediatrics, 141 Northwest Point Blvd., P.O. Box 927, Elk Grove Village, IL 60009-0927.

## AVAILABILITY OF COMPANION DOCUMENTS

None available

## PATIENT RESOURCES

None available

NGC STATUS

This NGC summary was completed by ECRI on February 23, 2005. The information was verified by the guideline developer on May 5, 2005.

## COPYRIGHT STATEMENT

This NGC summary is based on the original guideline, which is subject to the guideline developer's copyright restrictions. Please contact the Permissions Editor, American Academy of Pediatrics (AAP), 141 Northwest Point Blvd, Elk Grove Village, IL 60007.

#### DISCLAIMER

#### NGC DISCLAIMER

The National Guideline Clearinghouse<sup>™</sup> (NGC) does not develop, produce, approve, or endorse the guidelines represented on this site.

All guidelines summarized by NGC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public or private organizations, other government agencies, health care organizations or plans, and similar entities.

Guidelines represented on the NGC Web site are submitted by guideline developers, and are screened solely to determine that they meet the NGC Inclusion Criteria which may be found at <a href="http://www.guideline.gov/about/inclusion.aspx">http://www.guideline.gov/about/inclusion.aspx</a>.

NGC, AHRQ, and its contractor ECRI make no warranties concerning the content or clinical efficacy or effectiveness of the clinical practice guidelines and related materials represented on this site. Moreover, the views and opinions of developers or authors of guidelines represented on this site do not necessarily state or reflect those of NGC, AHRQ, or its contractor ECRI, and inclusion or hosting of guidelines in NGC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding guideline content are directed to contact the guideline developer.

© 1998-2006 National Guideline Clearinghouse

Date Modified: 9/25/2006